

Germany-Style Network Wall Plate

DE09WT

Overview

The VCELINK Germany-style network panel is designed for efficient and organized network management and access. The panel features two keystone ports with flip-down dust cover to protect connections; each keystone port allows compatibility with standard network modules, making it versatile for various configurations. The durable ABS plastic frame & panel and zinc alloy bracket ensure long-lasting performance. The plastic panel comes with label stickers (included in the packaging) for easy cable management and identification, enhancing manageability for complex networks. The VCELINK Germany-style network panel is suitable for Germany-style junction boxes with a minimum depth of 40 mm, providing a robust, easy-to-install solution for network installations, ideal for professional environments requiring a reliable and clean networking configuration.

Benefits

Effective network management and access

2 Keystone Jacks can be installed

Compatible with German junction boxes

Labels for easy cable management and identification

Solid and durable material (ABS and zinc alloy)



Technical Specification

Parameter	Value
Product Type	Germany-Style Network Wall Plate
Color	RAL: 9010
Components	Plastic Wall Plate, Metal Bracket
Plastic Wall Plate Material	ABS
Metal Bracket Material	Zinc Alloy
Plastic Wall Plate Processing	Injection Molding
Metal Bracket Processing	Cast Molding - Shot Peening
Size	Plastic Wall Plate: 3.15 in × 3.15 in × 0.35 in (79.90 mm × 79.90 mm × 8.80 mm) (L × W × D) Metal Bracket: 2.76 in × 2.76 in × 0.70 in (70.00 mm × 70.00 mm × 17.90 mm) (L × W × D)
Net Weight	Plastic Wall Plate: 0.04 lb (17.40 g) Metal Bracket: 0.11 lb (51.00 g) Other Accessories: 0.006 lb (2.70 g) Overall Weight (Excluding Packaging): 0.16 lb (71.10 g)
Functions	Install a standard keystone module to manage the connections
Applicable Equipment	German Style Junction Box (Depth Not Less Than 40 mm), Keystone Module
Compatibility	Compatible with Germany-style junction boxes
Port	2
Termination Type	Keystone Module
Style	Wall Plate
Working Environment Requirements	1) Temperature: -13°F ~ 158°F (-25°C ~ 70°C) 2) Humidity: ≤85% (Temperature 185°F ± 37.40°F) (Temperature 85°C ± 3°C)
Implementation Standards	YD/T 926.3-2024
Frequency Range	1 ~ 500 MHz
Working Voltage	125 V
Puncture Test	DC 1000 V (AC 750 V) 1 Min without Breakdown and Arc-over
Near-End CrossTik (NEXT)	≥ 4 dB


Technical Specification


Parameter	Value
Insulation resistance	Initial Value $\geq 100\text{ M}\Omega$ After Constant Humidity and Heat Test $\geq 100\text{ M}\Omega$
Maintenance and Cleaning	<p>This product requires minimal maintenance. Clean the plastic components regularly using a soft, dry cloth. Avoid using harsh chemicals that could damage the material.</p> <p>Inspect the panel and components periodically for signs of wear or damage. Replace any damaged parts immediately to maintain good performance.</p>
Safety Warning	<p>This product is designed for indoor use only. Do not expose it to moisture or water.</p> <p>Keep the product away from heat sources, such as radiators or heating vents, to avoid potential damage.</p> <p>This product contains small parts. Keep away from children and pets to avoid choking hazards.</p>

Technical Specification

Unit

in/mm



 <https://www.vcelink.com>

Company Profile

HANGZHOU HONGJIE ELECTRONICS CO., LTD, established in 2006, is headquartered in Hangzhou, China. Under its brand "VCELINK," the company specializes in the production and sale of high-quality network accessories, network cables, optical cables, patch cords, audio-video accessories, as well as various types of tools. These products are primarily used in the fields of structured cabling, computers, and the electronics industry. VCELINK offers personalized customization services to its customers, and in addition to online direct purchases, users can also choose bulk procurement or customized services, all aimed at meeting the unique needs of various customers.

Copyright © 2009-2024 VCELINK.COM All Rights Reserved.