


Mounting Bracket

A182



Overview

The VCELINK bracket is black and made of flame-retardant PC material, making it safe and sturdy and will not bend or break during installation. The bracket has two wing clips extending into the wall and provide a strong and flush fit. Four corner holes on the bracket serve as a cutting guide, helping you cut a clean and suitable hole in the wall without fussy measurements and making installation a breeze. This bracket needs to be used with an appropriate brush wall plate and is fixed through four screws with the wall plate. The bracket is suitable for drywall thickness from 0.21 inches to 0.78 inches (5.5 mm to 20 mm).

Benefits

- Corner holes for easy cutting
- PC material is flame-retardant and durable
- Tons of cables can be accommodated
- Wing clips for secure installation
- Hides the clutter of cables






Technical Specification

Parameter	Value
Product Type	Mounting Bracket
Color	Black
Components	Mounting Bracket, Wing Clips, Screws
Bracket Material	PC
(Wing Clips Closed) Size	(L × W × D) 4.34 inches × 4.31 inches × 1.65 inches (110.30 mm × 109.50 mm × 42.00 mm)
(Wing Clips Opened) Size	(L × W × D) 4.34 inches × 5.49 inches × 1.65 inches (110.30 mm × 139.50 mm × 42.00 mm)
Minimum Wall Cavity Depth	1.61 inches (41.00 mm)
Drywall Thickness	0.22 inches to 0.79 inches (5.50 mm to 20.00 mm)
Net Weight	0.07 lb (32 g)
Functions	For cutting square openings in walls. Fixed in wall to pass and store cables and provide a base for the suitable wall plate
Applicable Equipment	Drywall
Compatibility	Low-Voltage Class II Use Only (e.g., HDMI, Ethernet, AV cables, and coaxial cables).
Style	2-Gang
Fixing Method	Wing Clips
Operating Temperature Range	572 °F (300 °C) MAX.
Environmental Requirements	Stable and secure drywall. Avoid walls with excessive moisture and heat.
Safety Warning	Keep the product out of children's reach and ensure children are away during installation. Please do not use it to pass through high-voltage cables, and do not use it for non-class II low-voltage cables.

Technical Specification

Unit	in/mm
------	-------



 <https://www.vcelink.com>

Company Profile

HANGZHOU HONGJIE ELECTRONICS CO., LTD, established in 2006, is headquartered in Hangzhou, China. Under its brand "VCELINK," the company specializes in the production and sale of high-quality network accessories, network cables, optical cables, patch cords, audio-video accessories, as well as various types of tools. These products are primarily used in the fields of structured cabling, computers, and the electronics industry. VCELINK offers personalized customization services to its customers, and in addition to online direct purchases, users can also choose bulk procurement or customized services, all aimed at meeting the unique needs of various customers.

Copyright © VCELINK.COM All Rights Reserved.